

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (Currently Amended) A method for detecting a call made to a telephone station associated with a privacy screening service routed from a first telephone station to a second telephone station via a switching network, comprising:
  - intercepting a call from a first telephone station, the first telephone station associated with a subscriber to a caller detection of privacy screening service, the call directed to a second telephone station;
  - determining if the second telephone station requires identification of the first telephone station for completion of the call; and
  - in response to determining that the second telephone station requires identification of the first telephone station for completion of the call, disconnecting the call before a charge accrues to the first telephone station, without user response from the first telephone station and without response from the second telephone station.
2. (Original) The method of claim 1, further comprising intercepting the call from the first telephone station to the second telephone station based on an indicator associated with the first telephone station.
3. (Currently Amended) The method of claim 2, further comprising allowing the call to proceed if the a directory number of the second telephone station is included in a list associated with the first telephone station.
4. (Original) The method of claim 1, wherein, in response to determining that the second telephone station does not require identification of the first telephone station, completing the call.
5. (Original) The method of claim 1, further comprising sending an indicator to a billing system to identify a call sent from the first telephone station to the second telephone station wherein the second telephone station requires the identification of the first telephone station for completion of the call.

6. (Original) The method of claim 1, wherein the method is performed in an Advanced Intelligent Network (AIN) having a service switching point and a service control point, wherein said service switching point hosts an off-hook delay trigger associated with the first telephone station, and wherein said intercepting act comprises:

actuating said off-hook delay trigger; and  
querying the service control point to obtain information associated with the second telephone station from a database stored at the services control point.

7. (Original) The method of claim 6, wherein in response to determining that the information associated with the second telephone station indicates that identifying information must be supplied by a calling party to the second telephone station before the call can be completed, disconnecting the call.

8. (Original) The method of claim 6, wherein in response to determining that identifying information does not need to be supplied by a calling party to the second telephone station before the call can be completed, the call is completed.

9. (Currently Amended) An advanced intelligent network comprising:  
a service switching point communicatively connected to a first party telephone station, the first telephone station associated with a subscriber to a caller detection of privacy screening service;

the service switching point including an off-hook delay trigger, which takes an action when an outgoing call destined for a second telephone station is received, one or more actions including generating a query;

a service control point, communicatively connected to a second service switching point, which receives said query from the first telephone station and which, based on the query, instructs the first service switching point to perform one of completing the call or and disconnecting the call before a charge accrues to the first telephone station. ~~without response from the first telephone station and without response from the second telephone station.~~

10. (Original) The advanced intelligent network of claim 9, further comprising a services node, the services node including: a voice synthesizer which generates an audible message.

11. (Original) The advanced intelligent network of claim 10, wherein the services node generates an audible message to a first party telephone station when the call is disconnected.

12. (Original) The advanced intelligent network of claim 9, wherein the service control point generates a message and sends the message to the service switching point for inclusion on a billing record created by the services switching point and sent to a billing system.

13. (Previously Presented) The method of claim 1, further comprising intercepting the call from the first telephone station to the second telephone station based on actuation of a trigger type event.

14. (Previously Presented) A computer-readable medium comprising computer-executable instructions for:

intercepting a call from a first telephone station, the first telephone station associated with a subscriber to a caller detection of privacy screening service, the call directed to a second telephone station;

determining if the second telephone station requires identification of the first telephone station for completion of the call; and

in response to determining that the second telephone station requires identification of the first telephone station for completion of the call, disconnecting the call before a charge accrues to the first telephone station. ~~without user response from the first telephone station and without response from the second telephone station.~~

15. (Previously Presented) The computer-readable medium of claim 14, comprising further instructions for intercepting the call from the first telephone station to the second telephone station based on an indicator associated with the first telephone station.

16. (Currently Amended) The computer-readable medium of claim 14, comprising further instructions for allowing the call to proceed if ~~the~~ a directory number of the second telephone station is included in a list associated with the first telephone station.

17. (Previously Presented) The computer-readable medium of claim 14, comprising further instructions for in response to determining that the second telephone station does not require identification of the first telephone station, completing the call.

18. (Previously Presented) The computer-readable medium of claim 14, comprising further instructions for sending an indicator to a billing system to identify a call sent from the first telephone station to the second telephone station wherein the second telephone station requires the identification of the first telephone station for completion of the call.

19. (Previously Presented) The computer-readable medium of claim 14, comprising further instructions for intercepting the call from the first telephone station to the second telephone station based on actuation of a trigger type event.